

1. Kearsey, S.E., J.G. Flanagan, and I.W. Craig, *Cloning of mouse mitochondrial DNA in E. coli affects bacterial viability*. Gene, 1980. **12**(3-4): p. 249-55.
2. Kearsey, S.E. and I.W. Craig, *Altered ribosomal RNA genes in mitochondria from mammalian cells with chloramphenicol resistance*. Nature, 1981. **290**(5807): p. 607-8.
3. Kearsey, S., *Analysis of sequences conferring autonomous replication in baker's yeast*. The EMBO journal, 1983. **2**(9): p. 1571-5.
4. Munro, E., M. Webb, S.E. Kearsey, and I.W. Craig, *The isolation of an antimycin A-resistant human cell line*. Experimental cell research, 1983. **147**(2): p. 329-39.
5. Kearsey, S., *Structural requirements for the function of a yeast chromosomal replicator*. Cell, 1984. **37**(1): p. 299-307.
6. Mechali, M. and S. Kearsey, *Lack of specific sequence requirement for DNA replication in Xenopus eggs compared with high sequence specificity in yeast*. Cell, 1984. **38**(1): p. 55-64.
7. Kearsey, S.E., E. Munro, and I.W. Craig, *Studies of heterogeneous mitochondrial populations in a mouse cell line: the effects of selection for or against mitochondrial genomes that confer chloramphenicol resistance*. Proceedings of the Royal Society of London. Series B, Containing papers of a Biological character. Royal Society, 1985. **224**(1236): p. 315-23.
8. Laskey, R.A., S.E. Kearsey, M. Mechali, C. Dingwall, A.D. Mills, S.M. Dilworth, and J. Kleinschmidt, *Chromosome replication in early Xenopus embryos*. Cold Spring Harbor symposia on quantitative biology, 1985. **50**: p. 657-63.
9. Dingwall, C., S.M. Dilworth, S.J. Black, S.E. Kearsey, L.S. Cox, and R.A. Laskey, *Nucleoplasmin cDNA sequence reveals polyglutamic acid tracts and a cluster of sequences homologous to putative nuclear localization signals*. The EMBO journal, 1987. **6**(1): p. 69-74.
10. Kearsey, S.E., *Initiation of DNA replication in yeast chromosomes*. Philosophical transactions of the Royal Society of London. Series B, Biological sciences, 1987. **317**(1187): p. 517-23.
11. Kearsey, S.E. and J. Edwards, *Mutations that increase the mitotic stability of minichromosomes in yeast: characterization of RAR1*. Molecular & general genetics : MGG, 1987. **210**(3): p. 509-17.
12. Kipling, D. and S.E. Kearsey, *Analysis of expression of hybrid yeast genes containing ARS elements*. Molecular & general genetics : MGG, 1989. **218**(3): p. 531-5.
13. Kipling, D. and S.E. Kearsey, *Reversion of autonomously replicating sequence mutations in Saccharomyces cerevisiae: creation of a eucaryotic replication origin within procaryotic vector DNA*. Molecular and cellular biology, 1990. **10**(1): p. 265-72.
14. Kearsey, S., *The SFL2 (TUP1?) protein of Saccharomyces cerevisiae contains a repeating motif homologous to beta subunits of G proteins*. Gene, 1991. **98**(1): p. 147-8.

15. Kearsey, S. and D. Kipling, *Recombination and RNA processing: a common strand?* Trends in cell biology, 1991. **1**(5): p. 110-2.
16. Kipling, D. and S.E. Kearsey, *TFIIS and strand-transfer proteins*. Nature, 1991. **353**(6344): p. 509.
17. Kipling, D., C. Tambini, and S.E. Kearsey, *rar mutations which increase artificial chromosome stability in Saccharomyces cerevisiae identify transcription and recombination proteins*. Nucleic acids research, 1991. **19**(7): p. 1385-91.
18. Coxon, A., K. Maundrell, and S.E. Kearsey, *Fission yeast cdc21+ belongs to a family of proteins involved in an early step of chromosome replication*. Nucleic acids research, 1992. **20**(21): p. 5571-7.
19. Kearsey, S.E., *Identification of a Saccharomyces cerevisiae gene closely related to FAS3 (acetyl-CoA carboxylase)*. DNA sequence : the journal of DNA sequencing and mapping, 1993. **4**(1): p. 69-70.
20. Kipling, D. and S.E. Kearsey, *Function of the S. cerevisiae DST1/PPR2 gene in transcription elongation*. Cell, 1993. **72**(1): p. 12.
21. Henry, Y., H. Wood, J.P. Morrissey, E. Petfalski, S. Kearsey, and D. Tollervey, *The 5' end of yeast 5.8S rRNA is generated by exonucleases from an upstream cleavage site*. The EMBO journal, 1994. **13**(10): p. 2452-63.
22. Stanway, C.A., J.M. Gibbs, S.E. Kearsey, M.C. Lopez, and H.V. Baker, *The yeast co-activator GAL11 positively influences transcription of the phosphoglycerate kinase gene, but only when RAP1 is bound to its upstream activation sequence*. Molecular & general genetics : MGG, 1994. **243**(2): p. 207-14.
23. Todorov, I.T., R. Pepperkok, R.N. Philipova, S.E. Kearsey, W. Ansorge, and D. Werner, *A human nuclear protein with sequence homology to a family of early S phase proteins is required for entry into S phase and for cell division*. Journal of cell science, 1994. **107 (Pt 1)**: p. 253-65.
24. Todorov, I.T., A. Attaran, and S.E. Kearsey, *BM28, a human member of the MCM2-3-5 family, is displaced from chromatin during DNA replication*. The Journal of cell biology, 1995. **129**(6): p. 1433-45.
25. Coue, M., S.E. Kearsey, and M. Mechali, *Chromatin binding, nuclear localization and phosphorylation of Xenopus cdc21 are cell-cycle dependent and associated with the control of initiation of DNA replication*. The EMBO journal, 1996. **15**(5): p. 1085-97.
26. Kearsey, S.E., K. Labib, and D. Maiorano, *Cell cycle control of eukaryotic DNA replication*. Current opinion in genetics & development, 1996. **6**(2): p. 208-14.
27. Kearsey, S.E., D. Maiorano, E.C. Holmes, and I.T. Todorov, *The role of MCM proteins in the cell cycle control of genome duplication*. BioEssays : news and reviews in molecular, cellular and developmental biology, 1996. **18**(3): p. 183-90.
28. Maiorano, D., G.B. Van Assendelft, and S.E. Kearsey, *Fission yeast cdc21, a member of the MCM protein family, is required for onset of S phase and is located in the nucleus throughout the cell cycle*. The EMBO journal, 1996. **15**(4): p. 861-72.
29. Kearsey, S.E. and K. Labib, *MCM proteins: evolution, properties, and role in DNA replication*. Biochimica et biophysica acta, 1998. **1398**(2): p. 113-36.

30. Labib, K., J.F. Diffley, and S.E. Kearsey, *G1-phase and B-type cyclins exclude the DNA-replication factor Mcm4 from the nucleus*. Nature cell biology, 1999. **1**(7): p. 415-22.
31. Maiorano, D., L.J. Brimage, D. Leroy, and S.E. Kearsey, *Functional conservation and cell cycle localization of the Nhp2 core component of H + ACA snoRNPs in fission and budding yeasts*. Experimental cell research, 1999. **252**(1): p. 165-74.
32. Grallert, B., S.E. Kearsey, M. Lenhard, C.R. Carlson, P. Nurse, E. Boye, and K. Labib, *A fission yeast general translation factor reveals links between protein synthesis and cell cycle controls*. Journal of cell science, 2000. **113** (Pt 8): p. 1447-58.
33. Kearsey, S.E., S. Montgomery, K. Labib, and K. Lindner, *Chromatin binding of the fission yeast replication factor mcm4 occurs during anaphase and requires ORC and cdc18*. The EMBO journal, 2000. **19**(7): p. 1681-90.
34. Sun, W., M. Hola, K. Pedley, S. Tada, J.J. Blow, I.T. Todorov, S.E. Kearsey, and R.F. Brooks, *The replication capacity of intact mammalian nuclei in Xenopus egg extracts declines with quiescence, but the residual DNA synthesis is independent of Xenopus MCM proteins*. Journal of cell science, 2000. **113** (Pt 4): p. 683-95.
35. Tomonaga, T., K. Nagao, Y. Kawasaki, K. Furuya, A. Murakami, J. Morishita, T. Yuasa, T. Sutani, S.E. Kearsey, F. Uhlmann, K. Nasmyth, and M. Yanagida, *Characterization of fission yeast cohesin: essential anaphase proteolysis of Rad21 phosphorylated in the S phase*. Genes & development, 2000. **14**(21): p. 2757-70.
36. Labib, K., S.E. Kearsey, and J.F. Diffley, *MCM2-7 proteins are essential components of prereplicative complexes that accumulate cooperatively in the nucleus during G1-phase and are required to establish, but not maintain, the S-phase checkpoint*. Molecular biology of the cell, 2001. **12**(11): p. 3658-67.
37. Kearsey, S., *Surveying genome replication*. Genome biology, 2002. **3**(6): p. REVIEWS1016.
38. Lindner, K., J. Gregan, S. Montgomery, and S.E. Kearsey, *Essential role of MCM proteins in premeiotic DNA replication*. Molecular biology of the cell, 2002. **13**(2): p. 435-44.
39. Gregan, J., K. Lindner, L. Brimage, R. Franklin, M. Namdar, E.A. Hart, S.J. Aves, and S.E. Kearsey, *Fission yeast Cdc23/Mcm10 functions after pre-replicative complex formation to promote Cdc45 chromatin binding*. Molecular biology of the cell, 2003. **14**(9): p. 3876-87.
40. Gregan, J., L. Van Laer, L.D. Lieto, G. Van Camp, and S.E. Kearsey, *A yeast model for the study of human DFNA5, a gene mutated in nonsyndromic hearing impairment*. Biochimica et biophysica acta, 2003. **1638**(2): p. 179-86.
41. Kearsey, S.E. and S. Cotterill, *Enigmatic variations: divergent modes of regulating eukaryotic DNA replication*. Molecular cell, 2003. **12**(5): p. 1067-75.
42. Lemaitre, J.M., S. Bocquet, M.E. Terret, M. Namdar, O. Ait-Ahmed, S. Kearsey, M.H. Verlhac, and M. Mechali, *The regulation of competence to replicate in meiosis by Cdc6 is conserved during evolution*. Molecular reproduction and development, 2004. **69**(1): p. 94-100.

43. Sanchez Garcia, J., L.F. Ciufo, X. Yang, S.E. Kearsey, and S.A. MacNeill, *The C-terminal zinc finger of the catalytic subunit of DNA polymerase delta is responsible for direct interaction with the B-subunit*. Nucleic acids research, 2004. **32**(10): p. 3005-16.
44. Kearsey, S.E., L. Brimage, M. Namdar, E. Ralph, and X. Yang, *In situ assay for analyzing the chromatin binding of proteins in fission yeast*. Methods in molecular biology, 2005. **296**: p. 181-8.
45. Yang, X., J. Gregan, K. Lindner, H. Young, and S.E. Kearsey, *Nuclear distribution and chromatin association of DNA polymerase alpha-primase is affected by TEV protease cleavage of Cdc23 (Mcm10) in fission yeast*. BMC molecular biology, 2005. **6**: p. 13.
46. Namdar, M. and S.E. Kearsey, *Analysis of Mcm2-7 chromatin binding during anaphase and in the transition to quiescence in fission yeast*. Experimental cell research, 2006. **312**(17): p. 3360-9.
47. Ralph, E., E. Boye, and S.E. Kearsey, *DNA damage induces Cdt1 proteolysis in fission yeast through a pathway dependent on Cdt2 and Ddb1*. EMBO reports, 2006. **7**(11): p. 1134-9.
48. Gregan, J., C.G. Riedel, A.L. Pidoux, Y. Katou, C. Rumpf, A. Schleiffer, S.E. Kearsey, K. Shirahige, R.C. Allshire, and K. Nasmyth, *The kinetochore proteins Pcs1 and Mde4 and heterochromatin are required to prevent merotelic orientation*. Current biology : CB, 2007. **17**(14): p. 1190-200.
49. Kearsey, S.E., A.L. Stevenson, T. Toda, and S.W. Wang, *Fission yeast Cut8 is required for the repair of DNA double-strand breaks, ribosomal DNA maintenance, and cell survival in the absence of Rqh1 helicase*. Molecular and cellular biology, 2007. **27**(5): p. 1558-67.
50. Tvegard, T., H. Soltani, H.C. Skjolberg, M. Krohn, E.A. Nilssen, S.E. Kearsey, B. Grallert, and E. Boye, *A novel checkpoint mechanism regulating the G1/S transition*. Genes & development, 2007. **21**(6): p. 649-54.
51. Boe, C.A., I. Garcia, C.C. Pai, J.R. Sharom, H.C. Skjolberg, E. Boye, S. Kearsey, S.A. Macneill, M.D. Tyers, and B. Grallert, *Rapid regulation of protein activity in fission yeast*. BMC cell biology, 2008. **9**: p. 23.
52. Wang, S.W., A.L. Stevenson, S.E. Kearsey, S. Watt, and J. Bahler, *Global role for polyadenylation-assisted nuclear RNA degradation in posttranscriptional gene silencing*. Molecular and cellular biology, 2008. **28**(2): p. 656-65.
53. Cotterill, S. and S.E. Kearsey, *DNAReplication: a database of information and resources for the eukaryotic DNA replication community*. Nucleic acids research, 2009. **37**(Database issue): p. D837-9.
54. Kearsey, S.E. and J. Gregan, *Using the DHFR heat-inducible degron for protein inactivation in Schizosaccharomyces pombe*. Methods in molecular biology, 2009. **521**: p. 483-92.
55. Pai, C.C., I. Garcia, S.W. Wang, S. Cotterill, S.A. Macneill, and S.E. Kearsey, *GINS inactivation phenotypes reveal two pathways for chromatin association of replicative alpha and epsilon DNA polymerases in fission yeast*. Molecular biology of the cell, 2009. **20**(4): p. 1213-22.

56. Moss, J., H. Tinline-Purvis, C.A. Walker, L.K. Folkes, M.R. Stratford, J. Hayles, K.L. Hoe, D.U. Kim, H.O. Park, S.E. Kearsey, O. Fleck, C. Holmberg, O. Nielsen, and T.C. Humphrey, *Break-induced ATR and Ddb1-Cul4(Cdt)(2) ubiquitin ligase-dependent nucleotide synthesis promotes homologous recombination repair in fission yeast*. Genes & development, 2010. **24**(23): p. 2705-16.
57. Wen, W.L., A.L. Stevenson, C.Y. Wang, H.J. Chen, S.E. Kearsey, C.J. Norbury, S. Watt, J. Bahler, and S.W. Wang, *Vgl1, a multi-KH domain protein, is a novel component of the fission yeast stress granules required for cell survival under thermal stress*. Nucleic acids research, 2010. **38**(19): p. 6555-66.
58. Guarino, E., M.E. Shepherd, I. Salguero, H. Hua, R.S. Deegan, and S.E. Kearsey, *Cdt1 proteolysis is promoted by dual PIP degrons and is modulated by PCNA ubiquitylation*. Nucleic acids research, 2011. **39**(14): p. 5978-90.
59. Hua, H. and S.E. Kearsey, *Monitoring DNA replication in fission yeast by incorporation of 5-ethynyl-2'-deoxyuridine*. Nucleic acids research, 2011. **39**(9): p. e60.
60. Havens, C.G., N. Shobnam, E. Guarino, R.C. Centore, L. Zou, S.E. Kearsey, and J.C. Walter, *Direct role for proliferating cell nuclear antigen in substrate recognition by the E3 ubiquitin ligase CRL4Cdt2*. The Journal of biological chemistry, 2012. **287**(14): p. 11410-21.
61. Pai, C.C., J. Schnick, S.A. MacNeill, and S.E. Kearsey, *Conditional inactivation of replication proteins in fission yeast using hormone-binding domains*. Methods, 2012. **57**(2): p. 227-33.
62. Palles, C., J.B. Cazier, K.M. Howarth, E. Domingo, A.M. Jones, P. Broderick, Z. Kemp, S.L. Spain, E.G. Almeida, I. Salguero, A. Sherborne, D. Chubb, L.G. Carvajal-Carmona, Y. Ma, K. Kaur, S. Dobbins, E. Barclay, M. Gorman, L. Martin, M.B. Kovac, S. Humphray, H.J. Thomas, E. Maher, G. Evans, A. Lucassen, C. Cummings, M. Stevens, L. Walker, D. Halliday, R. Armstrong, J. Paterson, S. Hodgson, T. Homfray, L. Side, L. Izatt, A. Donaldson, S. Tomkins, P. Morrison, S. Goodman, C. Brewer, A. Henderson, R. Davidson, V. Murday, J. Cook, N. Haites, T. Bishop, E. Sheridan, A. Green, C. Marks, S. Carpenter, M. Broughton, L. Greenhalge, M. Suri, P.C. Donnelly, J. Bell, D. Bentley, G. McVean, P. Ratcliffe, J. Taylor, A. Wilkie, J. Broxholme, D. Buck, R. Cornall, L. Gregory, J. Knight, G. Lunter, I. Tomlinson, D.L. Buck, Z. Kingsbury, G.L. McVean, P. Donnelly, R. Grocock, E. Hatton, C.C. Holmes, L. Hughes, P. Humburg, A. Kanapin, L. Murray, A. Rimmer, C. Petridis, R. Roylance, E.J. Sawyer, D.J. Kerr, S. Clark, J. Grimes, S.E. Kearsey, and R.S. Houlston, *Germline mutations affecting the proofreading domains of POLE and POLD1 predispose to colorectal adenomas and carcinomas*. Nature genetics, 2012.
63. Salguero, I., E. Guarino, M.E. Shepherd, T.D. Deegan, C.G. Havens, S.A. MacNeill, J.C. Walter, and S.E. Kearsey, *Ribonucleotide reductase activity is coupled to DNA synthesis via proliferating cell nuclear antigen*. Current biology : CB, 2012. **22**(8): p. 720-6.
64. Hua, H, M. Namdar, O. Ganier, J. Gegan, M Mechali, and S.E. Kearsey. 2013. *Sequential steps in DNA replication are inhibited to ensure reduction of ploidy in*

meiosis. Molecular Biology of the Cell (in press).