

# IPP-QM-13: Quantum logic

James Read<sup>1</sup>

<sup>1</sup>Faculty of Philosophy, University of Oxford, UK, OX2 6GG

MT24

# The course

1. Basic quantum formalism
2. Density operators and entanglement
3. Decoherence
4. The measurement problem
5. Dynamical collapse theories
6. Bohmian mechanics
7. Everettian structure
8. Everettian probability
9. EPR and Bell's theorem
10. The Bell-CHSH inequalities and possible responses
11. Contextuality
12. The PBR theorem
13. Quantum logic
14. QBism
15. Pragmatism and relational quantum mechanics
16. Wavefunction realism

# Today

Introducing quantum logic

Formalism of quantum logic

Putnam on quantum logic and the measurement problem

Quantum logic and quantum interpretations

Where things stand

# Today


Introducing quantum logic

Formalism of quantum logic

Putnam on quantum logic and the measurement problem

Quantum logic and quantum interpretations

Where things stand



W. V. O. Quine (1908–2000)

# The Quinean web

Famously, Quine held that *any* part of our theoretical edifice is a candidate for revision:

# The Quinean web

Famously, Quine held that *any* part of our theoretical edifice is a candidate for revision:


*Any statement can be held true come what may if we make drastic enough adjustments elsewhere in the system. Even a statement very close to the periphery can be held true in the face of recalcitrant experience by pleading hallucination or by amending certain statements of the kind called logical laws. Conversely, by the same token, no statement is immune from revision. Revision even of the logical law of the excluded middle has been proposed as a means of simplifying quantum mechanics; and what difference is there in principle between such a shift and the shift whereby Kepler superseded Ptolemy, or Einstein Newton, or Darwin Aristotle? (Quine 1953, p. 43)*

# The Quinean web

Famously, Quine held that *any* part of our theoretical edifice is a candidate for revision:

*Any statement can be held true come what may if we make drastic enough adjustments elsewhere in the system. Even a statement very close to the periphery can be held true in the face of recalcitrant experience by pleading hallucination or by amending certain statements of the kind called logical laws. Conversely, by the same token, no statement is immune from revision. Revision even of the logical law of the excluded middle has been proposed as a means of simplifying quantum mechanics; and what difference is there in principle between such a shift and the shift whereby Kepler superseded Ptolemy, or Einstein Newton, or Darwin Aristotle? (Quine 1953, p. 43)*






Tim Maudlin (1958—)

# The great pantheon of Temptation

*Quine here takes his place in the great pantheon of Temptation: the apple hangs glistening before us. Kepler, Einstein, Darwin ... all one has to do to become the next entry on this list is show how a revision in logic could substantially simplify an empirical theory. He even points to the theory: quantum mechanics. Who could resist? ... Fill in the blanks and win immortality! It's an offer you can't refuse. And thereby hangs our tale. (Maudlin, p. 158, 2007)*



Hilary Putnam (1926–2016)

# Putnam's 1968 article

In 1968, Putnam wrote a controversial article which made the following three claims:

# Putnam's 1968 article

In 1968, Putnam wrote a controversial article which made the following three claims:

1. Quantum mechanics prompts us to revise our classical logical notions in favour of 'quantum logical' ones. (Cf. the move from Euclidean to Riemannian geometry.)

# Putnam's 1968 article

In 1968, Putnam wrote a controversial article which made the following three claims:

1. Quantum mechanics prompts us to revise our classical logical notions in favour of 'quantum logical' ones. (Cf. the move from Euclidean to Riemannian geometry.)
2. This revision is 'global': quantum logic is the 'true' logic.

# Putnam's 1968 article

In 1968, Putnam wrote a controversial article which made the following three claims:

1. Quantum mechanics prompts us to revise our classical logical notions in favour of 'quantum logical' ones. (Cf. the move from Euclidean to Riemannian geometry.)
2. This revision is 'global': quantum logic is the 'true' logic.
3. Recognising that logic is quantum solves the measurement problem of quantum mechanics.

# Putnam's 1968 article

In 1968, Putnam wrote a controversial article which made the following three claims:

1. Quantum mechanics prompts us to revise our classical logical notions in favour of 'quantum logical' ones. (Cf. the move from Euclidean to Riemannian geometry.)
2. This revision is 'global': quantum logic is the 'true' logic.
3. Recognising that logic is quantum solves the measurement problem of quantum mechanics.

There's now an almost universal consensus that, even if it were otherwise justified, a move to quantum logic would *not* resolve the puzzles of quantum mechanics.



# On the first claim

*“Quantum mechanics prompts us to revise our classical logical notions in favour of ‘quantum logical’ ones.”*

# On the first claim

*“Quantum mechanics prompts us to revise our classical logical notions in favour of ‘quantum logical’ ones.”*

- ▶ This is perhaps justified in a ‘local’ sense: quantum logic is suited to describing certain propositions in certain experimental scenarios.

# On the first claim

*“Quantum mechanics prompts us to revise our classical logical notions in favour of ‘quantum logical’ ones.”*

- ▶ This is perhaps justified in a ‘local’ sense: quantum logic is suited to describing certain propositions in certain experimental scenarios.
- ▶ (Cf. the application of certain intuitionistic or tensed etc. logics to certain scenarios, e.g. the Sorites paradox or reasoning about future contingents—see (Sider 2010).)

# On the first claim

*“Quantum mechanics prompts us to revise our classical logical notions in favour of ‘quantum logical’ ones.”*

- ▶ This is perhaps justified in a ‘local’ sense: quantum logic is suited to describing certain propositions in certain experimental scenarios.
- ▶ (Cf. the application of certain intuitionistic or tensed etc. logics to certain scenarios, e.g. the Sorites paradox or reasoning about future contingents—see (Sider 2010).)
- ▶ This is clearly weaker than claiming that quantum logic is the ‘one true logic’ (on which cf. (Griffiths & Paseau 2022)).

# On the first claim

*“Quantum mechanics prompts us to revise our classical logical notions in favour of ‘quantum logical’ ones.”*

- ▶ This is perhaps justified in a ‘local’ sense: quantum logic is suited to describing certain propositions in certain experimental scenarios.
- ▶ (Cf. the application of certain intuitionistic or tensed etc. logics to certain scenarios, e.g. the Sorites paradox or reasoning about future contingents—see (Sider 2010).)
- ▶ This is clearly weaker than claiming that quantum logic is the ‘one true logic’ (on which cf. (Griffiths & Paseau 2022)).
- ▶ In this sense, the first claim is uncontroversial.

## On the second claim

*“Quantum logic is the ‘one true logic’.”*

# On the second claim

*“Quantum logic is the ‘one true logic’.”*

This is much more controversial, and Dummett (1976) emphasises two issues:

# On the second claim

*“Quantum logic is the ‘one true logic’.”*

This is much more controversial, and Dummett (1976) emphasises two issues:

1. Motivating a revision of logic requires not only motivating the introduction of some non-classical connectives. An advocate of a revision of logic must also show why these connectives do not merely sit alongside the classical connectives, but actually *replace* them.



# On the second claim

*“Quantum logic is the ‘one true logic’.”*

This is much more controversial, and Dummett (1976) emphasises two issues:

1. Motivating a revision of logic requires not only motivating the introduction of some non-classical connectives. An advocate of a revision of logic must also show why these connectives do not merely sit alongside the classical connectives, but actually *replace* them.
2. A Quinean point: empirical considerations alone cannot force us to revise our logic: a distinctly *philosophical* component will be needed in order to justify whether a revision of logic, as opposed to a revision somewhere else in our network of beliefs, might be desirable.

## On the third claim

*“Recognising that logic is quantum solves the measurement problem of quantum mechanics.”*

# On the third claim

*“Recognising that logic is quantum solves the measurement problem of quantum mechanics.”*

This claim is by now recognised to be highly implausible, as we'll see.

# ‘Is logic empirical?’: A caveat

- ▶ A lot of the papers on the philosophy of quantum logic have this title!

# ‘Is logic empirical?’: A caveat

- ▶ A lot of the papers on the philosophy of quantum logic have this title!
- ▶ But, of course, this is a more general question than anything to do with quantum mechanics *per se*.

# ‘Is logic empirical?’: A caveat

- ▶ A lot of the papers on the philosophy of quantum logic have this title!
- ▶ But, of course, this is a more general question than anything to do with quantum mechanics *per se*.
- ▶ If quantum logic provides us with an intelligible global alternative to classical logic, then the case for logic being empirical might be strengthened.

# ‘Is logic empirical?’: A caveat

- ▶ A lot of the papers on the philosophy of quantum logic have this title!
- ▶ But, of course, this is a more general question than anything to do with quantum mechanics *per se*.
- ▶ If quantum logic provides us with an intelligible global alternative to classical logic, then the case for logic being empirical might be strengthened.
- ▶ However, comprehensive assessment of the question of whether empirical considerations might prompt us to revise our logic will depend less on the details of the physics and more on the largely conceptual question of whether the notion of logical consequence is *a priori* or is an abstraction from what appear to be valid inferences in our language.

# Summary so far

- ▶ Putnam's claim (1)—that we might sometimes have occasion to *use* quantum logic—is not controversial.



# Summary so far

- ▶ Putnam's claim (1)—that we might sometimes have occasion to *use* quantum logic—is not controversial.
- ▶ His claim (2)—that quantum logic is the 'one true logic'—is much more controversial, and must be argued for.

# Summary so far

- ▶ Putnam's claim (1)—that we might sometimes have occasion to *use* quantum logic—is not controversial.
- ▶ His claim (2)—that quantum logic is the ‘one true logic’—is much more controversial, and must be argued for.
- ▶ His claim (3)—that quantum logic itself solves the measurement problem—is also highly questionable, as we'll see.

# Today

Introducing quantum logic

**Formalism of quantum logic**

Putnam on quantum logic and the measurement problem

Quantum logic and quantum interpretations

Where things stand

# Quantum logic as a logic of experimental propositions

- ▶ The easiest way to introduce the concepts of quantum logic is in terms of a logic of ‘experimental propositions’.

# Quantum logic as a logic of experimental propositions

- ▶ The easiest way to introduce the concepts of quantum logic is in terms of a logic of ‘experimental propositions’.
- ▶ That is, one can define explicitly some non-classical connectives for a certain special class of propositions, relating to idealised quantum mechanical tests.

# Quantum logic as a logic of experimental propositions

- ▶ The easiest way to introduce the concepts of quantum logic is in terms of a logic of ‘experimental propositions’.
- ▶ That is, one can define explicitly some non-classical connectives for a certain special class of propositions, relating to idealised quantum mechanical tests.
- ▶ These connectives will arguably be well suited for the limited subject matter at hand.

# Quantum logic as a logic of experimental propositions

- ▶ The easiest way to introduce the concepts of quantum logic is in terms of a logic of ‘experimental propositions’.
- ▶ That is, one can define explicitly some non-classical connectives for a certain special class of propositions, relating to idealised quantum mechanical tests.
- ▶ These connectives will arguably be well suited for the limited subject matter at hand.
- ▶ If as a result one obtains a logical system satisfying certain formal requirements, we shall say that one has introduced a local non-classical logic.

# Warmup: Kolmogoroff on intuitionistic logic

In order to give you a feel for how this works, let's start off with a warmup case: Kolmogoroff (1931) on intuitionistic logic.



# Warmup: Kolmogoroff on intuitionistic logic

In order to give you a feel for how this works, let's start off with a warmup case: Kolmogoroff (1931) on intuitionistic logic.

- In this framework, each mathematical proposition  $p$  stands for solving the corresponding mathematical task.

# Warmup: Kolmogoroff on intuitionistic logic

In order to give you a feel for how this works, let's start off with a warmup case: Kolmogoroff (1931) on intuitionistic logic.

- ▶ In this framework, each mathematical proposition  $p$  stands for solving the corresponding mathematical task.
- ▶ The classical negation of  $p$  (not solving the task) is not itself a mathematical task, so the chosen set of propositions is not closed under classical negation.

# Warmup: Kolmogoroff on intuitionistic logic

In order to give you a feel for how this works, let's start off with a warmup case: Kolmogoroff (1931) on intuitionistic logic.

- ▶ In this framework, each mathematical proposition  $p$  stands for solving the corresponding mathematical task.
- ▶ The classical negation of  $p$  (not solving the task) is not itself a mathematical task, so the chosen set of propositions is not closed under classical negation.
- ▶ Instead, showing that a task is impossible to solve is again a mathematical task.

# Warmup: Kolmogoroff on intuitionistic logic

In order to give you a feel for how this works, let's start off with a warmup case: Kolmogoroff (1931) on intuitionistic logic.

- ▶ In this framework, each mathematical proposition  $p$  stands for solving the corresponding mathematical task.
- ▶ The classical negation of  $p$  (not solving the task) is not itself a mathematical task, so the chosen set of propositions is not closed under classical negation.
- ▶ Instead, showing that a task is impossible to solve is again a mathematical task.
- ▶ On the basis of the above, the law of excluded middle  $p \vee \neg p$  breaks down.

# Warmup: Kolmogoroff on intuitionistic logic

In order to give you a feel for how this works, let's start off with a warmup case: Kolmogoroff (1931) on intuitionistic logic.

- ▶ In this framework, each mathematical proposition  $p$  stands for solving the corresponding mathematical task.
- ▶ The classical negation of  $p$  (not solving the task) is not itself a mathematical task, so the chosen set of propositions is not closed under classical negation.
- ▶ Instead, showing that a task is impossible to solve is again a mathematical task.
- ▶ On the basis of the above, the law of excluded middle  $p \vee \neg p$  breaks down.
- ▶ From this, one can set up an intuitionistic logical system (for more on which in general see (Sider 2010, ch. 3)).

# Standard syntax for quantum logic

We adopt a propositional formal language for quantum logic, consisting of:

# Standard syntax for quantum logic

We adopt a propositional formal language for quantum logic, consisting of:

- ▶ a countable collection of propositional variables  $p, q, r, \dots$ , with or without subscripts;
- ▶ two logical operators: unary negation  $\neg$  and binary conjunction  $\wedge$ ; and
- ▶ parentheses  $()$  for punctuation.

# Standard syntax for quantum logic

We adopt a propositional formal language for quantum logic, consisting of:

- ▶ a countable collection of propositional variables  $p, q, r, \dots$ , with or without subscripts;
- ▶ two logical operators: unary negation  $\neg$  and binary conjunction  $\wedge$ ; and
- ▶ parentheses  $()$  for punctuation.

We define formulae of quantum logic in the usual recursive way:



# Standard syntax for quantum logic

We adopt a propositional formal language for quantum logic, consisting of:

- ▶ a countable collection of propositional variables  $p, q, r, \dots$ , with or without subscripts;
- ▶ two logical operators: unary negation  $\neg$  and binary conjunction  $\wedge$ ; and
- ▶ parentheses  $()$  for punctuation.

We define formulae of quantum logic in the usual recursive way:

1. every propositional variable is a formula;
2. for every formula  $\phi$ ,  $\neg\phi$  is a formula;
3. for every pair of formulae  $\phi$  and  $\psi$ ,  $(\phi \wedge \psi)$  is a formula; and
4. nothing else is a formula.

# Standard syntax for quantum logic

We adopt a propositional formal language for quantum logic, consisting of:

- ▶ a countable collection of propositional variables  $p, q, r, \dots$ , with or without subscripts;
- ▶ two logical operators: unary negation  $\neg$  and binary conjunction  $\wedge$ ; and
- ▶ parentheses  $()$  for punctuation.

We define formulae of quantum logic in the usual recursive way:

1. every propositional variable is a formula;
2. for every formula  $\phi$ ,  $\neg\phi$  is a formula;
3. for every pair of formulae  $\phi$  and  $\psi$ ,  $(\phi \wedge \psi)$  is a formula; and
4. nothing else is a formula.

Note that quantum logic lacks a material conditional! See (Dalla Chiara & Giuntini 2002, §3).

# Standard semantics for quantum logic

The standard semantics of quantum logic is that it is the logic of projection operators in a Hilbert space, where a projector  $\hat{p}$  is associated with the set of quantum states  $\{|\psi\rangle\}$  for which  $\hat{p}$  (when measured) has eigenvalue 1. From there:

# Standard semantics for quantum logic

The standard semantics of quantum logic is that it is the logic of projection operators in a Hilbert space, where a projector  $\hat{p}$  is associated with the set of quantum states  $\{|\psi\rangle\}$  for which  $\hat{p}$  (when measured) has eigenvalue 1. From there:

- ▶  $\neg\hat{p}$  is the orthogonal complement of  $\hat{p}$  (since by definition of the orthogonal complement, for those states the probability of measuring the physical property associated with projector  $\hat{p}$  vanishes);
- ▶  $\hat{p} \wedge \hat{q}$  is the intersection of  $\hat{p}$  and  $\hat{q}$ ; and
- ▶  $\hat{p} \vee \hat{q} = \neg(\neg\hat{p} \wedge \neg\hat{q})$  refers to states that superpose  $\hat{p}$  and  $\hat{q}$ .

# Standard semantics for quantum logic

The standard semantics of quantum logic is that it is the logic of projection operators in a Hilbert space, where a projector  $\hat{p}$  is associated with the set of quantum states  $\{|\psi\rangle\}$  for which  $\hat{p}$  (when measured) has eigenvalue 1. From there:

- ▶  $\neg\hat{p}$  is the orthogonal complement of  $\hat{p}$  (since by definition of the orthogonal complement, for those states the probability of measuring the physical property associated with projector  $\hat{p}$  vanishes);
- ▶  $\hat{p} \wedge \hat{q}$  is the intersection of  $\hat{p}$  and  $\hat{q}$ ; and
- ▶  $\hat{p} \vee \hat{q} = \neg(\neg\hat{p} \wedge \neg\hat{q})$  refers to states that superpose  $\hat{p}$  and  $\hat{q}$ .

(Although in previous lectures I was fastidious about not dropping hats on operators, in the remainder of this lecture I will actually drop hats.)

# Differences with classical logic: failure of distributivity

The most notable difference between quantum logic and classical logic is the failure of the propositional distributive law:

$$p \wedge (q \vee r) \equiv (p \wedge q) \vee (p \wedge r).$$

To illustrate why this law fails, let's look at an example.

# Illustration of failure of distributivity

Consider a particle moving along a 1D line, and let

- ▶  $p =$  “the particle has momentum in the interval  $[0, +1/6]$ .”
- ▶  $q =$  “the particle is in the interval  $[-1, 1]$ .”
- ▶  $r =$  “the particle is in the interval  $[1, 3]$ .”

# Illustration of failure of distributivity

Consider a particle moving along a 1D line, and let

- ▶  $p$  = “the particle has momentum in the interval  $[0, +1/6]$ .”
- ▶  $q$  = “the particle is in the interval  $[-1, 1]$ .”
- ▶  $r$  = “the particle is in the interval  $[1, 3]$ .”

We might observe that there is some structure in which the sentence  $p \wedge (q \vee r)$  is true—in other words, that the state of a particle is a superposition of momenta between 0 and  $+1/6$  and positions between  $-1$  and  $+3$ .



# Illustration of failure of distributivity

Consider a particle moving along a 1D line, and let

- ▶  $p$  = “the particle has momentum in the interval  $[0, +1/6]$ .”
- ▶  $q$  = “the particle is in the interval  $[-1, 1]$ .”
- ▶  $r$  = “the particle is in the interval  $[1, 3]$ .”

We might observe that there is some structure in which the sentence  $p \wedge (q \vee r)$  is true—in other words, that the state of a particle is a superposition of momenta between 0 and  $+1/6$  and positions between  $-1$  and  $+3$ .

On the other hand, the propositions  $(p \wedge q)$  and  $(p \wedge r)$  each assert tighter restrictions on simultaneous values of position and momentum than are allowed (they each have uncertainty  $1/3$ , which is less than the allowed minimum of  $1/2$ ).

# Illustration of failure of distributivity

Consider a particle moving along a 1D line, and let

- ▶  $p$  = “the particle has momentum in the interval  $[0, +1/6]$ .”
- ▶  $q$  = “the particle is in the interval  $[-1, 1]$ .”
- ▶  $r$  = “the particle is in the interval  $[1, 3]$ .”

We might observe that there is some structure in which the sentence  $p \wedge (q \vee r)$  is true—in other words, that the state of a particle is a superposition of momenta between 0 and  $+1/6$  and positions between  $-1$  and  $+3$ .

On the other hand, the propositions  $(p \wedge q)$  and  $(p \wedge r)$  each assert tighter restrictions on simultaneous values of position and momentum than are allowed (they each have uncertainty  $1/3$ , which is less than the allowed minimum of  $1/2$ ).

So there are no states that can support either proposition, and  $(p \wedge q) \vee (p \wedge r)$  is false; hence, propositional distributivity fails.

# Algebraic structure of quantum logic

Quantum logic can be axiomatised as the theory of propositions modulo the following identities:

# Algebraic structure of quantum logic

Quantum logic can be axiomatised as the theory of propositions modulo the following identities:

- ▶  $a \equiv \neg\neg a$ .
- ▶  $\vee$  is commutative and associative.
- ▶ There is a maximal element  $\top$ , and  $\top \equiv b \vee \neg b$ , for any  $b$ .
- ▶  $a \vee \neg(\neg a \vee b) \equiv a$ .

# Algebraic structure of quantum logic

Quantum logic can be axiomatised as the theory of propositions modulo the following identities:

- ▶  $a \equiv \neg\neg a$ .
- ▶  $\vee$  is commutative and associative.
- ▶ There is a maximal element  $\top$ , and  $\top \equiv b \vee \neg b$ , for any  $b$ .
- ▶  $a \vee \neg(\neg a \vee b) \equiv a$ .

Some authors in addition specify the ‘orthomodular law’, which states that:

- ▶ If  $\top = \neg(\neg a \vee \neg b) \vee \neg(a \vee b)$ , then  $a \equiv b$ .

# Algebraic structure of quantum logic

Quantum logic can be axiomatised as the theory of propositions modulo the following identities:

- ▶  $a \equiv \neg\neg a$ .
- ▶  $\vee$  is commutative and associative.
- ▶ There is a maximal element  $\top$ , and  $\top \equiv b \vee \neg b$ , for any  $b$ .
- ▶  $a \vee \neg(\neg a \vee b) \equiv a$ .

Some authors in addition specify the ‘orthomodular law’, which states that:

- ▶ If  $\top = \neg(\neg a \vee \neg b) \vee \neg(a \vee b)$ , then  $a \equiv b$ .

These axioms yield a system of axiomatic proofs for quantum logic (for more on axiomatic proofs, see (Sider 2010)).

Alternatively, one can build systems or natural deduction, tableaux, etc.

# Today

Introducing quantum logic

Formalism of quantum logic

**Putnam on quantum logic and the measurement problem**

Quantum logic and quantum interpretations

Where things stand

# Philosophical significance of quantum logic

- ▶ Quantum logic was originally constructed as a logic of quantum mechanical experimental outcomes.



# Philosophical significance of quantum logic

- ▶ Quantum logic was originally constructed as a logic of quantum mechanical experimental outcomes.
- ▶ But, as with Putnam (1968), we might seek to move beyond an operational understanding of the approach, and regard quantum logic as bearing on the measurement problem itself.

# Philosophical significance of quantum logic

- ▶ Quantum logic was originally constructed as a logic of quantum mechanical experimental outcomes.
- ▶ But, as with Putnam (1968), we might seek to move beyond an operational understanding of the approach, and regard quantum logic as bearing on the measurement problem itself.
- ▶ Let's explore how Putnam's argument proceeds, and where it goes wrong.

# Putnam and the paradoxes of quantum mechanics

- ▶ The paradox of Schrödinger's cat is that the cat is neither alive nor dead. (This of course is the popular way of putting the measurement problem, which is the problem of macroscopic superpositions—recall Lecture 4.)

# Putnam and the paradoxes of quantum mechanics

- ▶ The paradox of Schrödinger's cat is that the cat is neither alive nor dead. (This of course is the popular way of putting the measurement problem, which is the problem of macroscopic superpositions—recall Lecture 4.)
- ▶ Putnam's way of resolving the paradox is to choose a strictly quantum logical reading: 'dead' is interpreted as 'not alive' in the quantum logical sense of orthocomplementation, and the cat is then indeed alive or dead, but in the sense of the quantum logical disjunction.

# Putnam and the paradoxes of quantum mechanics

- ▶ The paradox of Schrödinger's cat is that the cat is neither alive nor dead. (This of course is the popular way of putting the measurement problem, which is the problem of macroscopic superpositions—recall Lecture 4.)
- ▶ Putnam's way of resolving the paradox is to choose a strictly quantum logical reading: 'dead' is interpreted as 'not alive' in the quantum logical sense of orthocomplementation, and the cat is then indeed alive or dead, but in the sense of the quantum logical disjunction.
- ▶ Putnam, however, seems to want to go further, namely he claims that, since the cat is alive or dead (quantum logically), there is a matter of fact about the biological state of the cat.

# Putnam and the paradoxes of quantum mechanics

- ▶ The paradox of Schrödinger's cat is that the cat is neither alive nor dead. (This of course is the popular way of putting the measurement problem, which is the problem of macroscopic superpositions—recall Lecture 4.)
- ▶ Putnam's way of resolving the paradox is to choose a strictly quantum logical reading: 'dead' is interpreted as 'not alive' in the quantum logical sense of orthocomplementation, and the cat is then indeed alive or dead, but in the sense of the quantum logical disjunction.
- ▶ Putnam, however, seems to want to go further, namely he claims that, since the cat is alive or dead (quantum logically), there is a matter of fact about the biological state of the cat.
- ▶ This last step should already be setting alarm bells ringing...!

# Putnam's dissolution(?) of the measurement problem

- Consider an  $n$ -dimensional Hilbert space and take an orthonormal basis  $\{|x_i\rangle\}$  in the Hilbert space, associated with some observable  $\hat{X}$ .

# Putnam's dissolution(?) of the measurement problem

- ▶ Consider an  $n$ -dimensional Hilbert space and take an orthonormal basis  $\{|x_i\rangle\}$  in the Hilbert space, associated with some observable  $\hat{X}$ .
- ▶ Denoting the propositions corresponding to the one-dimensional projectors onto the basis vectors as  $x_1, \dots, x_n$ , the following is a true proposition under all truth valuations:  $x_1 \vee \dots \vee x_n$ .



# Putnam's dissolution(?) of the measurement problem

- ▶ Consider an  $n$ -dimensional Hilbert space and take an orthonormal basis  $\{|x_i\rangle\}$  in the Hilbert space, associated with some observable  $\hat{X}$ .
- ▶ Denoting the propositions corresponding to the one-dimensional projectors onto the basis vectors as  $x_1, \dots, x_n$ , the following is a true proposition under all truth valuations:  $x_1 \vee \dots \vee x_n$ .
- ▶ The truth of this proposition is understood by Putnam as meaning that the observable  $\hat{X}$  indeed has a value corresponding to one of the  $x_i$ .

# Putnam's dissolution(?) of the measurement problem

- ▶ Consider an  $n$ -dimensional Hilbert space and take an orthonormal basis  $\{|x_i\rangle\}$  in the Hilbert space, associated with some observable  $\hat{X}$ .
- ▶ Denoting the propositions corresponding to the one-dimensional projectors onto the basis vectors as  $x_1, \dots, x_n$ , the following is a true proposition under all truth valuations:  $x_1 \vee \dots \vee x_n$ .
- ▶ The truth of this proposition is understood by Putnam as meaning that the observable  $\hat{X}$  indeed has a value corresponding to one of the  $x_i$ .
- ▶ Putnam (1968, pp. 184–5) concludes that the system possesses values for all observables. (???)

# Putnam's dissolution(?) of the measurement problem

- ▶ Consider an  $n$ -dimensional Hilbert space and take an orthonormal basis  $\{|x_i\rangle\}$  in the Hilbert space, associated with some observable  $\hat{X}$ .
- ▶ Denoting the propositions corresponding to the one-dimensional projectors onto the basis vectors as  $x_1, \dots, x_n$ , the following is a true proposition under all truth valuations:  $x_1 \vee \dots \vee x_n$ .
- ▶ The truth of this proposition is understood by Putnam as meaning that the observable  $\hat{X}$  indeed has a value corresponding to one of the  $x_i$ .
- ▶ Putnam (1968, pp. 184–5) concludes that the system possesses values for all observables. (???)
- ▶ He then interprets measurements as simply revealing those pre-existing values, thus proposing that the measurement problem of quantum mechanics is solved by a move to quantum logic.

# Responding to Putnam's argument

- ▶ As Bacciagaluppi says, this is “rather bewildering” (2013, p. 22).

# Responding to Putnam's argument

- ▶ As Bacciagaluppi says, this is “rather bewildering” (2013, p. 22).
- ▶ The truth valuations in this semantics are such that the proposition  $x_1 \vee \dots \vee x_n$  can be true without any of the  $x_i$  being true.

# Responding to Putnam's argument

- ▶ As Bacciagaluppi says, this is “rather bewildering” (2013, p. 22).
- ▶ The truth valuations in this semantics are such that the proposition  $x_1 \vee \dots \vee x_n$  can be true without any of the  $x_i$  being true.
- ▶ *Any* quantum state that is a non-trivial linear combination of the basis vectors will define such a truth valuation.

# Responding to Putnam's argument

- ▶ As Bacciagaluppi says, this is “rather bewildering” (2013, p. 22).
- ▶ The truth valuations in this semantics are such that the proposition  $x_1 \vee \dots \vee x_n$  can be true without any of the  $x_i$  being true.
- ▶ *Any* quantum state that is a non-trivial linear combination of the basis vectors will define such a truth valuation.
- ▶ In the case of entangled systems, a quantum logical proposition can be true *without any* of the one-dimensional projectors spanning it being true.

# Responding to Putnam's argument

- ▶ As Bacciagaluppi says, this is “rather bewildering” (2013, p. 22).
- ▶ The truth valuations in this semantics are such that the proposition  $x_1 \vee \dots \vee x_n$  can be true without any of the  $x_i$  being true.
- ▶ *Any* quantum state that is a non-trivial linear combination of the basis vectors will define such a truth valuation.
- ▶ In the case of entangled systems, a quantum logical proposition can be true *without any* of the one-dimensional projectors spanning it being true.
- ▶ In this sense, Putnam's argument seems to rest on a technical mistake.



# Today

Introducing quantum logic

Formalism of quantum logic

Putnam on quantum logic and the measurement problem

Quantum logic and quantum interpretations

Where things stand

# Quantum logic and quantum interpretations

So much for Putnam's argument. But there are still a number of other issues relating to quantum logic which are worth shoring up. In this section, I'll consider:

# Quantum logic and quantum interpretations

So much for Putnam's argument. But there are still a number of other issues relating to quantum logic which are worth shoring up. In this section, I'll consider:

1. The relationship between classical and quantum logics and how the former might emerge from the latter.

# Quantum logic and quantum interpretations

So much for Putnam's argument. But there are still a number of other issues relating to quantum logic which are worth shoring up. In this section, I'll consider:

1. The relationship between classical and quantum logics and how the former might emerge from the latter.
2. The significance of quantum logic for instrumentalism/Bohr-type views.

# Quantum logic and quantum interpretations

So much for Putnam's argument. But there are still a number of other issues relating to quantum logic which are worth shoring up. In this section, I'll consider:

1. The relationship between classical and quantum logics and how the former might emerge from the latter.
2. The significance of quantum logic for instrumentalism/Bohr-type views.
3. The significance of quantum logic for the three main realist approaches to quantum mechanics (GRW, Bohm, Everett).

# Quantum logic and quantum interpretations

So much for Putnam's argument. But there are still a number of other issues relating to quantum logic which are worth shoring up. In this section, I'll consider:

1. The relationship between classical and quantum logics and how the former might emerge from the latter.
2. The significance of quantum logic for instrumentalism/Bohr-type views.
3. The significance of quantum logic for the three main realist approaches to quantum mechanics (GRW, Bohm, Everett).

In general, we'll see that the significance of quantum logic will depend upon the interpretation of quantum mechanics which one favours.

# The revision of logic

- ▶ If we want to argue that quantum logic is the ‘one true logic’ (recall Putnam’s aim (2)), then we need to argue that the connectives of quantum mechanics *replace* the connectives of classical logic.

# The revision of logic

- ▶ If we want to argue that quantum logic is the ‘one true logic’ (recall Putnam’s aim (2)), then we need to argue that the connectives of quantum mechanics *replace* the connectives of classical logic.
- ▶ Even if one does this, one needs to explain the effectiveness of classical logic—so even embracing quantum logic as the ‘true’ logic still leaves an explanatory gap.



# The revision of logic

- ▶ If we want to argue that quantum logic is the ‘one true logic’ (recall Putnam’s aim (2)), then we need to argue that the connectives of quantum mechanics *replace* the connectives of classical logic.
- ▶ Even if one does this, one needs to explain the effectiveness of classical logic—so even embracing quantum logic as the ‘true’ logic still leaves an explanatory gap.
- ▶ Plausibly, decoherence can help here—but the devil, of course, is in the details. (See e.g. (Fortin & Vanni 2014).)

# The revision of logic

- ▶ If we want to argue that quantum logic is the ‘one true logic’ (recall Putnam’s aim (2)), then we need to argue that the connectives of quantum mechanics *replace* the connectives of classical logic.
- ▶ Even if one does this, one needs to explain the effectiveness of classical logic—so even embracing quantum logic as the ‘true’ logic still leaves an explanatory gap.
- ▶ Plausibly, decoherence can help here—but the devil, of course, is in the details. (See e.g. (Fortin & Vanni 2014).)
- ▶ And in any case, as we’ll see, different interpretations of quantum mechanics will have different things to say on this matter.

# Quantum logic and instrumentalism

Let's move on now to task (2): how quantum logic interacts with instrumentalist/Bohrian views.

# Quantum logic and instrumentalism

Let's move on now to task (2): how quantum logic interacts with instrumentalist/Bohrian views.

- ▶ If one takes an instrumentalist position, then quantum mechanics just provides us with the means of calculating the probabilities for the results of our experiments.

# Quantum logic and instrumentalism

Let's move on now to task (2): how quantum logic interacts with instrumentalist/Bohrian views.

- ▶ If one takes an instrumentalist position, then quantum mechanics just provides us with the means of calculating the probabilities for the results of our experiments.
- ▶ The resulting procedure is certainly different from that in any classical framework, but there seems to be little need to revise anything but our algorithmic procedures for predicting experimental results.

# Quantum logic and instrumentalism

Let's move on now to task (2): how quantum logic interacts with instrumentalist/Bohrian views.

- ▶ If one takes an instrumentalist position, then quantum mechanics just provides us with the means of calculating the probabilities for the results of our experiments.
- ▶ The resulting procedure is certainly different from that in any classical framework, but there seems to be little need to revise anything but our algorithmic procedures for predicting experimental results.
- ▶ So it is not clear why this logic should be even a candidate for a revised global logic.

# Quantum mechanics and Bohrian positions

- ▶ If one adopts a subtler Bohrian position (recall Lecture 4), then the language of classical physics becomes a *prerequisite* for the description of quantum experiments, so that the very formulation of quantum mechanics would seem to require classical logic.

# Quantum mechanics and Bohrian positions

- ▶ If one adopts a subtler Bohrian position (recall Lecture 4), then the language of classical physics becomes a *prerequisite* for the description of quantum experiments, so that the very formulation of quantum mechanics would seem to require classical logic.
- ▶ Clearly—to repeat—more than empirical considerations are needed in order to mount a case for the revision of logic at the global level.



# Quantum logic in realist approaches to QM

Let's now think about the status of quantum logic on the three main realist approaches to quantum mechanics: dynamical collapse approaches, Bohmian mechanics, and Everett.

# Quantum logic in realist approaches to QM

Let's now think about the status of quantum logic on the three main realist approaches to quantum mechanics: dynamical collapse approaches, Bohmian mechanics, and Everett.

These approaches should give us some resources to explain why classical logic is effective in certain domains of a world in which quantum mechanics is true.

# Bohmian mechanics

- ▶ Since Bohmian mechanics reproduces the phenomenology of quantum mechanics, physical systems have the same dispositions to elicit measurement results in Bohmian mechanics as in standard quantum mechanics.

# Bohmian mechanics

- ▶ Since Bohmian mechanics reproduces the phenomenology of quantum mechanics, physical systems have the same dispositions to elicit measurement results in Bohmian mechanics as in standard quantum mechanics.
- ▶ The introduction of quantum logical connectives at the level of the experimental propositions goes through unaltered.

# Bohmian mechanics

- ▶ Since Bohmian mechanics reproduces the phenomenology of quantum mechanics, physical systems have the same dispositions to elicit measurement results in Bohmian mechanics as in standard quantum mechanics.
- ▶ The introduction of quantum logical connectives at the level of the experimental propositions goes through unaltered.
- ▶ At the level of ontic states, configuration-space properties obey classical logic no less than phase-space properties in classical physics.

# Bohmian mechanics

- ▶ Since Bohmian mechanics reproduces the phenomenology of quantum mechanics, physical systems have the same dispositions to elicit measurement results in Bohmian mechanics as in standard quantum mechanics.
- ▶ The introduction of quantum logical connectives at the level of the experimental propositions goes through unaltered.
- ▶ At the level of ontic states, configuration-space properties obey classical logic no less than phase-space properties in classical physics.
- ▶ Indeed, Bohmian mechanics can be viewed as a theory that is entirely classical at the level of kinematics (particles moving in space and time—see (Albert 1992)).

# Bohmian mechanics

- ▶ Since Bohmian mechanics reproduces the phenomenology of quantum mechanics, physical systems have the same dispositions to elicit measurement results in Bohmian mechanics as in standard quantum mechanics.
- ▶ The introduction of quantum logical connectives at the level of the experimental propositions goes through unaltered.
- ▶ At the level of ontic states, configuration-space properties obey classical logic no less than phase-space properties in classical physics.
- ▶ Indeed, Bohmian mechanics can be viewed as a theory that is entirely classical at the level of kinematics (particles moving in space and time—see (Albert 1992)).
- ▶ Thus, the way in which Bohmian mechanics explains the effectiveness of classical logic at the macroscopic level is that it is already the logic that is operative at the hidden ('untestable') level of the particles.

# Bacciagaluppi on quantum logic and Bohmian mechanics

*Thus, if one takes the pilot-wave approach to quantum mechanics, although quantum logic may be introduced as a local logic at the level of experimental propositions, it cannot be taken as the basis for justifying the everyday use of classical logic, and thus cannot aspire to replace classical logic as the 'true' logic. (Bacciagaluppi 2013, p. 31)*



# Dynamical collapse theories

Arguably, in dynamical collapse theories there's no explanation for how classical logic can be grounded in quantum logic:

# Dynamical collapse theories

Arguably, in dynamical collapse theories there's no explanation for how classical logic can be grounded in quantum logic:

*Thus, also in spontaneous collapse theories (as in pilot-wave theory), the quantum connectives do not provide the basis for the effectiveness of the classical connectives. There is no story explaining that the cat is dead or alive classically because it is dead or alive quantum logically. The cat is first fleetingly (if at all) dead or alive quantum logically, then the dynamics intervenes and ensures the cat is dead or alive classically. Either a hit on the dead component takes place or one on the alive component does. (Bacciagaluppi 2013, p. 34)*

# Decoherence and quantum logic in Bohmian mechanics and GRW

- What I quoted Bacciagaluppi as saying about Bohmian mechanics and quantum logic sounds correct—if one focusses on the corpuscles, which indeed behave like classical particles.

# Decoherence and quantum logic in Bohmian mechanics and GRW

- ▶ What I quoted Bacciagaluppi as saying about Bohmian mechanics and quantum logic sounds correct—if one focusses on the corpuscles, which indeed behave like classical particles.
- ▶ What I quoted Bacciagaluppi as saying about GRW and the transition to classicality also sounds correct—if one ignores the problem of the tails!

# Decoherence and quantum logic in Bohmian mechanics and GRW

- ▶ What I quoted Bacciagaluppi as saying about Bohmian mechanics and quantum logic sounds correct—if one focusses on the corpuscles, which indeed behave like classical particles.
- ▶ What I quoted Bacciagaluppi as saying about GRW and the transition to classicality also sounds correct—if one ignores the problem of the tails!
- ▶ But of course, in both cases, one in fact still has a quantum state, and so the ‘Everett in denial’ charge.

# Decoherence and quantum logic in Bohmian mechanics and GRW

- ▶ What I quoted Bacciagaluppi as saying about Bohmian mechanics and quantum logic sounds correct—if one focusses on the corpuscles, which indeed behave like classical particles.
- ▶ What I quoted Bacciagaluppi as saying about GRW and the transition to classicality also sounds correct—if one ignores the problem of the tails!
- ▶ But of course, in both cases, one in fact still has a quantum state, and so the ‘Everett in denial’ charge.
- ▶ Perhaps the right way to make sense of the emergence of classical logic in both cases, then, is instead via decoherence, *à la* (e.g.) Fortin & Vanni (2014).

# The Everett interpretation

- ▶ In Everett, the challenge of explaining how classical logic 'emerges' from quantum logic is met by decoherence.

# The Everett interpretation

- ▶ In Everett, the challenge of explaining how classical logic 'emerges' from quantum logic is met by decoherence.
- ▶ To repeat: decoherence can play this kind of explanatory role in Bohmian mechanics and in dynamical collapse theories too!



# Bacciagaluppi on the Everett interpretation

*Thus, while the structure of the intrinsic properties of physical systems supports a non-distributive logic at the fundamental level (even in the individual worlds), one can claim that, unlike the case of pilot-wave theory or spontaneous collapse, the perspectival element characteristic of the Everett interpretation introduces a genuine emergence of the classical connectives from the quantum connectives. In this sense, it is only the Everett interpretation, among the major approaches to quantum mechanics, that is compatible with a revision of logic. (Bacciagaluppi 2013, p. 36)*

# Bacciagaluppi on the Everett interpretation

*Thus, while the structure of the intrinsic properties of physical systems supports a non-distributive logic at the fundamental level (even in the individual worlds), one can claim that, unlike the case of pilot-wave theory or spontaneous collapse, the perspectival element characteristic of the Everett interpretation introduces a genuine emergence of the classical connectives from the quantum connectives. In this sense, it is only the Everett interpretation, among the major approaches to quantum mechanics, that is compatible with a revision of logic. (Bacciagaluppi 2013, p. 36)*

**Questions:** What kind of ‘perspectivalism’ does Bacciagaluppi have in mind here? And does the last claim follow, given what I said previously about decoherence and Bohmian mechanics/GRW?

# Today

Introducing quantum logic

Formalism of quantum logic

Putnam on quantum logic and the measurement problem

Quantum logic and quantum interpretations

Where things stand

# Maudlin's final take

*The horse of quantum logic has been so thrashed, whipped and pummeled, and is so thoroughly deceased that [...] the question is not whether the horse will rise again, it is: how in the world did this horse get here in the first place? The tale of quantum logic is not the tale of a promising idea gone bad, it is rather the tale of the unrelenting pursuit of a bad idea. [...] Many, many philosophers and physicists have become convinced that a change of logic (and most dramatically, the rejection of classical logic) will somehow help in understanding quantum theory, or is somehow suggested or forced on us by quantum theory. But quantum logic, even through its many incarnations and variations, both in technical form and in interpretation, has never yielded the goods. (Maudlin 2007, pp. 184–5)*

# Is quantum logic even logic?

- ▶ Most philosophers find quantum logic an unappealing competitor to classical logic.

# Is quantum logic even logic?

- ▶ Most philosophers find quantum logic an unappealing competitor to classical logic.
- ▶ It is far from evident that quantum logic is a logic, in the sense of describing a process of reasoning (remember, it doesn't have a material conditional!)

# Is quantum logic even logic?

- ▶ Most philosophers find quantum logic an unappealing competitor to classical logic.
- ▶ It is far from evident that quantum logic is a logic, in the sense of describing a process of reasoning (remember, it doesn't have a material conditional!)
- ▶ ...as opposed to a particularly convenient language with which to summarise the *operational* results of quantum mechanical experiments.

# Summary

Today, I've:



# Summary

Today, I've:

1. Introduced the formalism of quantum logic.

# Summary

Today, I've:

1. Introduced the formalism of quantum logic.
2. Demonstrated that, *pace* Putnam (1968), quantum logic does *not* solve the measurement problem.

# Summary

Today, I've:

1. Introduced the formalism of quantum logic.
2. Demonstrated that, *pace* Putnam (1968), quantum logic does *not* solve the measurement problem.
3. Seen that one's account of the emergence of a classical logic from a fundamentally quantum logic might differ depending upon one's preferred interpretation of quantum mechanics (but in all cases decoherence seems key).











# Summary

Today, I've:

1. Introduced the formalism of quantum logic.
2. Demonstrated that, *pace* Putnam (1968), quantum logic does *not* solve the measurement problem.
3. Seen that one's account of the emergence of a classical logic from a fundamentally quantum logic might differ depending upon one's preferred interpretation of quantum mechanics (but in all cases decoherence seems key).

Next time: QBism.

# References

-  David Z. Albert, *Quantum Mechanics and Experience*, Cambridge, MA: Harvard University Press, 1992.
-  Guido Bacciagaluppi, “Is Logic Empirical?”, in *Handbook of Quantum Logic*, Elsevier, 2013.
-  M. L. Dalla Chiara and R. Giuntini, “Quantum Logics”, in D. Gabbay & F. Guenther (eds.), *Handbook of Philosophical Logic*, Berlin: Springer, 2002.
-  Michael Dummett, “Is Logic Empirical?”, in H. D. Lewis (ed.), *Contemporary British Philosophy*, 4th series, London: Allen and Unwin, pp. 45–68, 1976.
-  Sebastian Fortin and Leonardo Vanni, “Quantum Decoherence: A Logical Perspective”, *Foundations of Physics* 44, pp. 1258–68, 2014.
-  Owen Griffiths and A. C. Paseau, *One True Logic: A Monist Manifesto*, Oxford: Oxford University Press, 2022.
-  A. Kolmogoroff, “Zur Deutung der intuitionistischen Logik”, *Mathematische Zeitschrift* 35, pp. 58–65, 1931.
-  Tim Maudlin, “The Tale of Quantum Logic”, in Y. Ben-Menahem (ed.), *Hilary Putnam*, Cambridge: Cambridge University Press, 2005.
-  W. V. O. Quine, *From a Logical Point of View*, New York, NY: Harper Torchbooks, 1953.
-  Theodore Sider, *Logic for Philosophy*, Oxford: Oxford University Press, 2010.