

IPP-SR-12: Acceleration and gravitational redshift

James Read¹

¹Faculty of Philosophy, University of Oxford, UK, OX2 6GG

HT25

The course

1. Newton's laws
2. Galilean invariance
3. The Michelson-Morley experiment
4. Einstein's 1905 derivation of the Lorentz transformations
5. Spacetime structure
6. General covariance
7. Relativity and conventionality of simultaneity
8. Frame-dependent effects
9. The twin paradox
10. Dynamical and geometrical approaches to relativity
11. Presentism and relativity
12. Acceleration and redshift

Acceleration in special relativity

- ▶ One sometimes hears that it is not possible to model accelerating systems in special relativity, and that to do so one must move to the framework of general relativity.

Acceleration in special relativity

- ▶ One sometimes hears that it is not possible to model accelerating systems in special relativity, and that to do so one must move to the framework of general relativity.
- ▶ Such a claim is *badly confused*.

Acceleration in special relativity

- ▶ One sometimes hears that it is not possible to model accelerating systems in special relativity, and that to do so one must move to the framework of general relativity.
- ▶ Such a claim is *badly confused*.
- ▶ Consider e.g. Bell's accelerating rockets—what was incoherent in this setup? (Answer: nothing.)

Acceleration in special relativity

- ▶ One sometimes hears that it is not possible to model accelerating systems in special relativity, and that to do so one must move to the framework of general relativity.
- ▶ Such a claim is *badly confused*.
- ▶ Consider e.g. Bell's accelerating rockets—what was incoherent in this setup? (Answer: nothing.)
- ▶ Or: what is wrong with Rindler frames in special relativity? (Answer: nothing.)

Acceleration in special relativity

- ▶ One sometimes hears that it is not possible to model accelerating systems in special relativity, and that to do so one must move to the framework of general relativity.
- ▶ Such a claim is *badly confused*.
- ▶ Consider e.g. Bell's accelerating rockets—what was incoherent in this setup? (Answer: nothing.)
- ▶ Or: what is wrong with Rindler frames in special relativity? (Answer: nothing.)
- ▶ Today, we will present and resolve one significant confusion involving acceleration in relativity theory—viz., that regarding *gravitational redshift*.

Acceleration in special relativity

- ▶ One sometimes hears that it is not possible to model accelerating systems in special relativity, and that to do so one must move to the framework of general relativity.
- ▶ Such a claim is *badly confused*.
- ▶ Consider e.g. Bell's accelerating rockets—what was incoherent in this setup? (Answer: nothing.)
- ▶ Or: what is wrong with Rindler frames in special relativity? (Answer: nothing.)
- ▶ Today, we will present and resolve one significant confusion involving acceleration in relativity theory—*viz.*, that regarding *gravitational redshift*.
- ▶ Before we do so, however, we must see something of Einstein's *equivalence principle*.

Today

The Einstein equivalence principle

Inertial frames

The strong equivalence principle

Gravitational redshift

Today

The Einstein equivalence principle

Inertial frames

The strong equivalence principle

Gravitational redshift



The happiest thought of his life

- ▶ In 1907, when thinking about someone unfortunate enough to be falling off a roof, Einstein had the happiest thought of his life (“*glücklichste Gedanke meines Lebens*”).

The happiest thought of his life

- ▶ In 1907, when thinking about someone unfortunate enough to be falling off a roof, Einstein had the happiest thought of his life (“*glücklichste Gedanke meines Lebens*”).
- ▶ He realised that in the immediate vicinity of such an observer, gravity would seem to disappear.

The happiest thought of his life


- ▶ In 1907, when thinking about someone unfortunate enough to be falling off a roof, Einstein had the happiest thought of his life (“*glücklichste Gedanke meines Lebens*”).
- ▶ He realised that in the immediate vicinity of such an observer, gravity would seem to disappear.
- ▶ Of course, this would have been known since Newton...

The happiest thought of his life

- ▶ In 1907, when thinking about someone unfortunate enough to be falling off a roof, Einstein had the happiest thought of his life (“*glücklichste Gedanke meines Lebens*”).
- ▶ He realised that in the immediate vicinity of such an observer, gravity would seem to disappear.
- ▶ Of course, this would have been known since Newton...
- ▶ ...but Einstein's revolutionary insight was that the gravitation field itself “has only a relative existence”.

[F]or an observer falling freely from the roof of a house there exists—at least in his immediate surroundings—no gravitational field ... The observer therefore has the right to interpret his state as “at rest”. (Einstein, quoted by Pais 1982, p. 178)

Einstein's elevator



Inertial effects = Gravitational effects

The Einstein equivalence principle

*Gravity and inertia are the same in their very essence
[“wesensgleich”]. (Einstein 1918)*

Pauli's take

In Einstein's theory, gravitation is just as much a fictitious force as the coriolis and centrifugal forces are in Newton's theory. (However, it is equally justified to say that in Einstein's theory neither of these two forces is a fictitious force.) (Pauli 1921, p. 709)

The story so far

- ▶ Gravitational effects just are inertial effects. (Cf. Einstein's rocket.)

The story so far

- ▶ Gravitational effects just are inertial effects. (Cf. Einstein's rocket.)
- ▶ If you're in a freely-falling frame in which you don't feel any gravitational effects, that's because *there literally are no gravitational effects there for you.*

The heuristic importance of the EEP

Einstein himself stressed again and again the heuristic importance of the EEP in his search for what came to be GR. This role of the principle is intimately connected to Einstein thinking of it as a relativity principle. He clearly saw it as extending the special principle of relativity, that states that all inertial motions, including rest, are empirically indistinguishable and thus equivalent in an important sense. (Lehmkuhl 2021, p. 7)

The heuristic importance of the EEP

Einstein himself stressed again and again the heuristic importance of the EEP in his search for what came to be GR. This role of the principle is intimately connected to Einstein thinking of it as a relativity principle. He clearly saw it as extending the special principle of relativity, that states that all inertial motions, including rest, are empirically indistinguishable and thus equivalent in an important sense. (Lehmkuhl 2021, p. 7)

For Einstein, seeing the presence of gravitational fields as a coordinate-dependent state of affairs was not a price to be paid but a major achievement of the theory. (Lehmkuhl 2021, pp. 13-14)

Today

The Einstein equivalence principle

Inertial frames

The strong equivalence principle

Gravitational redshift

The EEP and inertial frames

- In light of the EEP, what becomes of the notion of an inertial frame?

The EEP and inertial frames

- ▶ In light of the EEP, what becomes of the notion of an inertial frame?
- ▶ The inertial frames *just are* the freely-falling frames!

The EEP and inertial frames

- ▶ In light of the EEP, what becomes of the notion of an inertial frame?
- ▶ The inertial frames *just are* the freely-falling frames!
- ▶ *These* are the frames in which the laws of physics take their simplest form (because gravito-inertial effects vanish in these frames).

The EEP and inertial frames

- ▶ In light of the EEP, what becomes of the notion of an inertial frame?
- ▶ The inertial frames *just are* the freely-falling frames!
- ▶ *These* are the frames in which the laws of physics take their simplest form (because gravito-inertial effects vanish in these frames).
- ▶ In other words, inertial frames should be re-conceptualised as not being strapped to the surface of the Earth, but as falling freely towards the Earth.

The EEP and inertial frames

- ▶ In light of the EEP, what becomes of the notion of an inertial frame?
- ▶ The inertial frames *just are* the freely-falling frames!
- ▶ *These* are the frames in which the laws of physics take their simplest form (because gravito-inertial effects vanish in these frames).
- ▶ In other words, inertial frames should be re-conceptualised as not being strapped to the surface of the Earth, but as falling freely towards the Earth.
- ▶ This will be *crucial* to a complete understanding of gravitational redshift effects.

Today


The Einstein equivalence principle

Inertial frames

The strong equivalence principle

Gravitational redshift

General relativity



The theory in brief

- ▶ Spacetime not $\langle M, \eta_{ab} \rangle$ (as in SR), but $\langle M, g_{ab} \rangle$.

The theory in brief

- ▶ Spacetime not $\langle M, \eta_{ab} \rangle$ (as in SR), but $\langle M, g_{ab} \rangle$.
- ▶ g_{ab} is *dynamical*, obeying the *Einstein equation*,

$$G_{ab} = 8\pi T_{ab}.$$


The theory in brief

- ▶ Spacetime not $\langle M, \eta_{ab} \rangle$ (as in SR), but $\langle M, g_{ab} \rangle$.
- ▶ g_{ab} is *dynamical*, obeying the *Einstein equation*,

$$G_{ab} = 8\pi T_{ab}.$$

- ▶ This says that the spacetime curvature associated with g_{ab} is proportional to the amount of matter (energy-momentum) content in the relevant region.

Curvature



$$R^{\rho}_{\sigma\mu\nu} = \partial_{\mu}\Gamma^{\rho}_{\nu\sigma} - \partial_{\nu}\Gamma^{\rho}_{\mu\sigma} + \Gamma^{\rho}_{\mu\lambda}\Gamma^{\lambda}_{\nu\sigma} - \Gamma^{\rho}_{\nu\lambda}\Gamma^{\lambda}_{\mu\sigma}$$

The strong equivalence principle

[L]et us now introduce the following premise: For infinitely small four-dimensional regions the theory of relativity in the restricted sense [i.e., special relativity] holds, if the coordinates are suitably chosen. (Einstein 1916, p. 777)

The strong equivalence principle

- ▶ The SEP states that, in a sufficiently small neighbourhood of the manifold M in general relativity, physics looks locally special relativistic.

The strong equivalence principle

- ▶ The SEP states that, in a sufficiently small neighbourhood of the manifold M in general relativity, physics looks locally special relativistic.
- ▶ Analogy: the surface of the Earth is essentially flat in sufficiently small regions.

The strong equivalence principle

- ▶ The SEP states that, in a sufficiently small neighbourhood of the manifold M in general relativity, physics looks locally special relativistic.
- ▶ Analogy: the surface of the Earth is essentially flat in sufficiently small regions.

(For more on the SEP, see Brown (2005, ch. 9), Knox (2013), Ghins and Budden (2001), or Read *et al.* (2018). And see in particular a recent debate between Fletcher and Weatherall (2023) and Linnemann *et al.* (2024).)


Bridge principles


[O]ne might look at the EEP as a bridge principle, a principle forming a bridge from GR to Newtonian theory, a bridge that allows us to see the shadows of Newtonian theory in GR. But this bridge is not just about accommodating our “physical habits of thinking” in allowing us to keep operating with the terms ‘gravity’ and ‘inertia’, it also implies that a curvature-free spacetime is just as ‘gravitational’ as a strongly curved spacetime. (Lehmkuhl 2021, p. 25)

Bridge principles

[O]ne might look at the EEP as a bridge principle, a principle forming a bridge from GR to Newtonian theory, a bridge that allows us to see the shadows of Newtonian theory in GR. But this bridge is not just about accommodating our “physical habits of thinking” in allowing us to keep operating with the terms ‘gravity’ and ‘inertia’, it also implies that a curvature-free spacetime is just as ‘gravitational’ as a strongly curved spacetime. (Lehmkuhl 2021, p. 25)

While the Einstein equivalence principle can be seen as a bridge from GR to Newtonian theory, the strong equivalence principle can be seen as a bridge from GR to SR. (Lehmkuhl 2021, p. 25)





(For some nuancing of this story, see (Read & Teh 2023).)


Today

The Einstein equivalence principle

Inertial frames

The strong equivalence principle

Gravitational redshift



Gravitational redshift

- ▶ Gravitational redshift: clocks in a gravitational field tick slower when observed by a distant observer.

Gravitational redshift

- ▶ Gravitational redshift: clocks in a gravitational field tick slower when observed by a distant observer.
- ▶ More specifically: the wavelength of a photon is longer when observed from further out of a gravitational well.

Gravitational redshift

- ▶ Gravitational redshift: clocks in a gravitational field tick slower when observed by a distant observer.
- ▶ More specifically: the wavelength of a photon is longer when observed from further out of a gravitational well.
- ▶ Here, the 'clock' is the frequency of the photon and a lower frequency is the same as a longer ('redder') wavelength.

Experimental confirmation

- ▶ Gravitational redshift has been *experimentally confirmed*—most famously by Pound and Rebka at Harvard in 1960.

Experimental confirmation

- ▶ Gravitational redshift has been *experimentally confirmed*—most famously by Pound and Rebka at Harvard in 1960.
- ▶ These experiments used the *Mössbauer effect*: γ -rays in a certain narrow frequency range are emitted and absorbed by two solid samples containing radioactive Fe^{57} .

Experimental confirmation

- ▶ Gravitational redshift has been *experimentally confirmed*—most famously by Pound and Rebka at Harvard in 1960.
- ▶ These experiments used the *Mössbauer effect*: γ -rays in a certain narrow frequency range are emitted and absorbed by two solid samples containing radioactive Fe^{57} .
- ▶ When two such samples are placed vertically with a height difference h , the photons emitted from one sample will no longer be absorbed by the other.

Experimental confirmation

- ▶ Gravitational redshift has been *experimentally confirmed*—most famously by Pound and Rebka at Harvard in 1960.
- ▶ These experiments used the *Mössbauer effect*: γ -rays in a certain narrow frequency range are emitted and absorbed by two solid samples containing radioactive Fe^{57} .
- ▶ When two such samples are placed vertically with a height difference h , the photons emitted from one sample will no longer be absorbed by the other.
- ▶ But if the absorber is put into a certain degree of vertical motion relative to the source, the resulting Doppler effect can restore absorption.

Question

Do the results of a single gravitational redshift experiment provide direct evidence for spacetime curvature?



Carroll on gravitational redshift experiments

...simple geometry seems to imply that the [emission and reception intervals] must be the same. But of course they are not; the gravitational redshift implies that the elevated experimenters observe fewer wavelengths per second. ... We can interpret this roughly as 'the clock on the tower appears to run more quickly'. What went wrong? Simple geometry—the spacetime through which the photons traveled was curved.

We therefore would like to describe spacetime as a kind of mathematical structure that looks locally like Minkowski space, but may possess nontrivial curvature over extended regions. (Carroll 2004, pp. 53-54)

Explaining redshift via the equivalence principle

- ▶ The SEP states that the local neighbourhood of a gravitational redshift experiment should look approximately special relativistic (i.e., like Minkowski spacetime).

Explaining redshift via the equivalence principle

- ▶ The SEP states that the local neighbourhood of a gravitational redshift experiment should look approximately special relativistic (i.e., like Minkowski spacetime).
- ▶ By the EEP, the experimental setup on the surface of the Earth is in an accelerating frame of reference.

Explaining redshift via the equivalence principle

- ▶ The SEP states that the local neighbourhood of a gravitational redshift experiment should look approximately special relativistic (i.e., like Minkowski spacetime).
- ▶ By the EEP, the experimental setup on the surface of the Earth is in an accelerating frame of reference.
- ▶ So considering this setup in an accelerating frame in SR should allow us to derive the correct results!—And indeed we do!

Quantitative calculation

- Quantitatively, we find

$$\Delta t_B \simeq \left(1 - \frac{gh}{c^2}\right) \Delta t_A,$$

where Δt_A is the coordinate interval between successive electromagnetic wave crests being emitted by A , and Δt_B is similarly defined for reception at the lower sample B .

Quantitative calculation

- Quantitatively, we find

$$\Delta t_B \simeq \left(1 - \frac{gh}{c^2}\right) \Delta t_A,$$

where Δt_A is the coordinate interval between successive electromagnetic wave crests being emitted by A , and Δt_B is similarly defined for reception at the lower sample B .

- This is in agreement with the experimental results!

Quantitative calculation

- Quantitatively, we find

$$\Delta t_B \simeq \left(1 - \frac{gh}{c^2}\right) \Delta t_A,$$

where Δt_A is the coordinate interval between successive electromagnetic wave crests being emitted by A , and Δt_B is similarly defined for reception at the lower sample B .

- This is in agreement with the experimental results!
- Note that these calculations make certain assumptions—e.g., the clock hypothesis.

Quantitative calculation

- Quantitatively, we find

$$\Delta t_B \simeq \left(1 - \frac{gh}{c^2}\right) \Delta t_A,$$

where Δt_A is the coordinate interval between successive electromagnetic wave crests being emitted by A , and Δt_B is similarly defined for reception at the lower sample B .

- This is in agreement with the experimental results!
- Note that these calculations make certain assumptions—e.g., the clock hypothesis.

(For more, see (Brown and Read, 2016).)

Some subtleties

- ▶ There are some subtleties here, though.

Some subtleties

- ▶ There are some subtleties here, though.
- ▶ The point is that, *to the level of experimental accuracy of the Pound–Rebka experiment*, an explanation in terms of accelerating frames in Minkowski spacetime would suffice.

Some subtleties

- ▶ There are some subtleties here, though.
- ▶ The point is that, *to the level of experimental accuracy of the Pound–Rebka experiment*, an explanation in terms of accelerating frames in Minkowski spacetime would suffice.
- ▶ However, if experiments were sufficiently accurate so as to be sensitive to the variation of curvature over the relevant region, then this explanation would break down.

Some subtleties

- ▶ There are some subtleties here, though.
- ▶ The point is that, *to the level of experimental accuracy of the Pound–Rebka experiment*, an explanation in terms of accelerating frames in Minkowski spacetime would suffice.
- ▶ However, if experiments were sufficiently accurate so as to be sensitive to the variation of curvature over the relevant region, then this explanation would break down.
- ▶ For further details on this point and other delicate issues, see (Fankhauser & Read, 2023).

Moral

The results of a single gravitational redshift experiment of Pound–Rebka type do *not* (in any straightforward way) provide direct evidence for spacetime curvature.

Moral

The results of a single gravitational redshift experiment of Pound–Rebka type do *not* (in any straightforward way) provide direct evidence for spacetime curvature.

Spacetime curvature is *not* required to explain these results; the equivalence principles and special relativity in an accelerating frame will suffice!

The true role of curvature

- ▶ We can explain the results of a gravitational redshift experiment using the fact that the inertial frames are the freely falling frames, as captured by the EEP.

The true role of curvature

- ▶ We can explain the results of a gravitational redshift experiment using the fact that the inertial frames are the freely falling frames, as captured by the EEP.
- ▶ But now consider *multiple* such experiments, at different points on the Earth's surface.

The true role of curvature

- ▶ We can explain the results of a gravitational redshift experiment using the fact that the inertial frames are the freely falling frames, as captured by the EEP.
- ▶ But now consider *multiple* such experiments, at different points on the Earth's surface.
- ▶ Doesn't this mean have certain inertial frames moving *non-inertially* with respect to one another? Contradiction??

The true role of curvature

- ▶ We can explain the results of a gravitational redshift experiment using the fact that the inertial frames are the freely falling frames, as captured by the EEP.
- ▶ But now consider *multiple* such experiments, at different points on the Earth's surface.
- ▶ Doesn't this mean have certain inertial frames moving *non-inertially* with respect to one another? Contradiction??
- ▶ Einstein's solution: the inertial frames are to be re-conceptualised as being *local*, not *global*.

The true role of curvature

- ▶ We can explain the results of a gravitational redshift experiment using the fact that the inertial frames are the freely falling frames, as captured by the EEP.
- ▶ But now consider *multiple* such experiments, at different points on the Earth's surface.
- ▶ Doesn't this mean have certain inertial frames moving *non-inertially* with respect to one another? Contradiction??
- ▶ Einstein's solution: the inertial frames are to be re-conceptualised as being *local*, not *global*.
- ▶ Ultimately, this motivates the introduction of a curved 'affine connection'—*this is the true place for spacetime curvature in discussions of gravitational redshift.*

Summary

In this lecture, we have:

Summary

In this lecture, we have:

1. Seen something of Einstein's transition from special relativity to general relativity.

Summary

In this lecture, we have:

1. Seen something of Einstein's transition from special relativity to general relativity.
2. Presented the EEP and SEP, and seen how these provide respective 'bridge principles' between general relativity on the one hand, and Newtonian gravity and special relativity on the other.

Summary

In this lecture, we have:

1. Seen something of Einstein's transition from special relativity to general relativity.
2. Presented the EEP and SEP, and seen how these provide respective 'bridge principles' between general relativity on the one hand, and Newtonian gravity and special relativity on the other.
3. Used the EEP and SEP to account for the results of a single gravitational redshift experiment of Pound–Rebka type.










Summary

In this lecture, we have:

1. Seen something of Einstein's transition from special relativity to general relativity.
2. Presented the EEP and SEP, and seen how these provide respective 'bridge principles' between general relativity on the one hand, and Newtonian gravity and special relativity on the other.
3. Used the EEP and SEP to account for the results of a single gravitational redshift experiment of Pound–Rebka type.
4. Seen the true role of spacetime curvature when accounting for the results of gravitational redshift experiments.

Thanks for attending!

References I

-  Harvey R. Brown, *Physical Relativity: Spacetime Structure from a Dynamical Perspective*, Oxford: Oxford University Press, 2005.
-  Harvey R. Brown and James Read, “Clarifying possible misconceptions in the foundations of general relativity”, *American Journal of Physics* 84(5), pp. 327-334, 2016.
-  Sean Carroll, *Spacetime and Geometry: An Introduction to General Relativity*, San Francisco, CA: Addison Wesley, 2004.
-  Albert Einstein, “Die Grundlage der allgemeinen Relativitätstheorie”, *Annalen der Physik* 49(7), pp. 769-822, 1916. Reprinted as Vol. 6, Doc. 30 CPAE.
-  Albert Einstein, “Prinzipielles zur allgemeinen Relativitätstheorie”, *Annalen der Physik* 55, pp. 241-244, 1918. Reprinted as Vol. 7, Doc. 4 CPAE.
-  Johannes Fankhauser and James Read, “Gravitational Redshift Revisited: Inertia, Geometry, and Charge”, 2023.
-  Samuel C. Fletcher and James Owen Weatherall, “The Local Validity of Special Relativity, Part 1: Geometry”, *Philosophy of Physics* 1(1), 2023.
-  Samuel C. Fletcher and James Owen Weatherall, “The Local Validity of Special Relativity, Part 1: Matter Dynamics”, *Philosophy of Physics* 1(1), 2023.
-  Michel Ghins and Tim Budden, “The Principle of Equivalence”, *Studies in History and Philosophy of Modern Physics* 32, pp. 33-51, 2001.

References II



Eleanor Knox, “Effective Spacetime Geometry”, *Studies in History and Philosophy of Modern Physics* 44, pp. 346-356, 2013.



Dennis Lehmkuhl, “The Equivalence Principle(s)”, in E. Knox and A. Wilson (eds.), *The Routledge Companion to Philosophy of Physics*, London: Routledge, 2021.



Niels Linnemann, James Read and Nicholas J. Teh, “The Local Validity of Special Relativity from a Scale-relative Perspective”, *British Journal for the Philosophy of Science*, 2023.



Wolfgang Pauli, *Relativitätstheorie*, B. G. Teubner, 1921. Republished by Springer in 2000 with new annotation by Domenico Giulini.



James Read, Harvey R. Brown and Dennis Lehmkuhl, “Two Miracles of General Relativity”, *Studies in History and Philosophy of Modern Physics* 64, pp. 14-25, 2018.



James Read and Nicholas J. Teh, “Newtonian Equivalence Principles”, *Erkenntnis* 88, pp. 3479–3503, 2023.